

EB/7219/D/A

Ex Eng. Bldg. Proposal (C/M)-1
New Municipal Building, C.S. No. 3558,
Opp. Hanuman Mandir,
Chowk, Wadgaonkar Marg,
Salt Pan Road, Andheri, Wadgaonkar Marg,
Mumbai - 400 037.

In replying please quote No. _____
and date of this letter.

Intimation of Disapproval under Section 346 of the Mumbai
Municipal Corporation Act, as amended up to date.

EB/7219/D/A 02/16/2015

No. EB/C/E/ BS/A of 20 - 20

Municipal Office,
Mumbai - 20

MEMORANDUM
Mrs. Sanghvi Realty Pvt. Ltd.
Office No. 1, 1st floor,
Purushottam Building, C Wing,
Tribhuvan Road, Mumbai 400 004.

With reference to your Notice, letter No. 004643 dated 20.02.2014 and delivered on 17.04.2014 and the plans, Sections Specifications and Description and further particulars and details of your buildings at may, known as "Ghaswala Building" Mumbai furnished to me under your letter, dated 20. I have to inform you that I cannot approve of the building or work proposed to be erected or executed, and I therefore hereby formally intimate to you, under Section 346 of the Bombay Municipal Corporation Act as amended, up-to-date, my disapproval by the following reasons:-

A) THAT THE FOLLOWING CONDITIONS TO BE COMPLIED WITH BEFORE COMMENCEMENT OF THE WORK UPTO PLINTH LEVEL.

1. That the commencement certificate under Section 44/69(1)(a) of the M.R.T.P. Act will not be obtained before starting the proposed work.

2. That the builder / developer / owner shall not prepare a "debris management plan" showing the prospective quantum of debris likely to be generated, arrangements for its proper storage at the site, transportation plan of the agency appointed for the same, with numbers and registration numbers of vehicles to be deployed and the final destination where the debris would be unloaded by them and submit the same to the Zonal Executive Engineer of S.W.M. Department and the same shall not be got approved before demolition of existing building or commencing any construction activity.

3. That the compound wall is not constructed on all sides of the plot clear of the road widening line with foundation below level of bottom of road side to drain without obstructing the flow of rain water from the adjoining holding to prove possession of holding before starting the work as per D.C. Regulation No.38(27).

4. That the low lying plot will not be filled up to a reduced level of at least 92 T.H.D. or 6" above adjoining road level whichever is higher with murrum, earth, boulders, etc. and will not be leveled, rolled, consolidated and sloped towards road side, before starting the work.

() That proper gutters and down pipes are not intended to be put to prevent water dripping from the roof on the public street.

() That the drainage work generally is not intended to be executed in accordance with the Municipal requirements.

Subject to your so modifying your intention as to obviate the before mentioned objections and meet by require the meets, but not otherwise you will be at liberty to proceed with the said building or work at anytime before the day of 15th April 2016, but not so as to contravene any of the provision of the said Act as amended as aforesaid or any rule, regulations or bye-law made under that Act at the time in force.

Your attention is drawn to the Special Instructions and Note accompanying this Intimation of Disapproval

Contd. (A)

-2(a)-

5. That the specifications for layout/ D.O./or access roads/ development of setback land will not be obtained from E.E. Road (Construction) (City) before starting construction work and the access and setback land will not be developed accordingly including providing street lights and S.W.D., the completion certificate will not be obtained from E.E. (R.C.)/ E.E. (S.W.D.) of City before submitting building completion certificate.

6. That the structural engineer will not be appointed. Supervision memo as per Appendix-XI [Regulation 5(3)(ix)] will not be submitted by him.

7. That the structural design and calculations for the proposed work accounting for seismic analysis as per relevant I.S. Code and for existing building showing adequacy thereof to take up additional load along with bearing capacity of the soil strata will not be submitted before C.C.

8. That the regular/sanctioned/proposed lines and reservation will not be got demarcated at site through A.E. (Survey)/ E.E. (T&C)/ E.E. (D.P.)/ D.I.L.R. before applying for C.C.

9. That the sanitary arrangements shall not be carried out as per Municipal Specifications, and drainage layout will not be submitted before C.C.

10. That the Agreement with the existing tenant along with the plans will not be submitted before C.C.

11. That the Indemnity Bond, indemnifying the Corporation for damages, risks, accidents, to the occupiers and an Undertaking regarding no nuisance will not be submitted before C.C./starting the work.

12. That the existing structure proposed to be demolished will not be demolished or necessary Phase Programme with agreement will not be submitted and got approved before C.C.

13. That the qualified/Registered Site supervisor through Architect/Structural Engineer will not be appointed before applying for C.C.

14. That All Dues Clearance Certificate from A.E.W.W./ D'Ward shall not be submitted before issue of C.C.

15. That the premium/deposits as follows will not be paid -
 - a. Condonation of deficient open spaces.
 - b. Staircase / Lift area benefit.

- c. Development charges as per M.R. & T.P. (Amendment) Act, 1992
- d. Insecticide charges.
- e. Payment of advance for providing treatment of construction site to prevent epidemic like dengue, malaria etc. to insecticide charges 'D' Ward.

- f. Labour Welfare Cess
- g. Additional Development Cess.
- h. Layout scrutiny fee

16. That the registered undertaking in prescribed proforma agreeing to demolish the excess area if constructed beyond permissible F.S.L. shall not be submitted before asking for C.C.

17. That the work will not be carried out strictly as per approved plan and in conformity with the D.C.Regulations in force.

18. That the N.O.C. from Free authority shall not be submitted before asking for plinth C.C.

19. That the Registered Undertaking shall not be submitted for agreeing to pay the difference in premium paid and calculated as per revised land rates.

20. That the Janata Insurance policy or policy to cover the compensation claims arising out of Workmen's Compensation Act, 1923 will not be taken out and a copy of the same will not be submitted before asking C.C. and renewed during the construction of work and owner / developer should submit revaluated Janata Insurance Policy from time to time.

21. That the N.O.C. from B.E.S.T. for sub station shall not be submitted.

22. That the Fresh Tax Clearance Certificate from A.A. & C.D' Ward shall not be submitted.

23. That the Regd. U/T against misuse of pocket terrace / part terrace / still shall not be submitted.

24. That the footpath in front of plot shall not be repaired / restored once in a year or before occupation whichever is earlier.

25. That the Indemnity Bond indemnifying M.C.G.M. against disputes, litigations, claims, arising out of ownership of plot shall not be submitted.

26. That the remarks from H.E. Department shall not be submitted.

27. That the debris shall not be dumped on the Municipal ground only.

28. That the board displaying the details of development of the work shall not be displayed at site.

29. That the necessary remarks for training of nalla / construction of S.W.D will not be obtained from Dy.Ch.Eng.(S.W.D.) City and Central Cell before asking for plinth C.C.

30. That the N.O.C. from Dy.Ch.E.(S.P.) P&D for proposed sewer line shall not be submitted before C.C.

31. That the plot boundary shall not be got demarcated from C.S.L.R. and demarcation certificate shall not be submitted to this office.

32. That the copy of PAN card of the applicant shall not be submitted before C.C.

33. That the precautionary measures to avoid dust nuisance such as erection of G.I. sheet screens at plot boundaries upto reasonable height shall not be provided before demolition of existing structures at site, shall not

34. That the fresh P.R. Card in the name of owner shall not be submitted before C.C. ...
 35. That the construction activity for work of necessary piling shall not be carried out by employing modern techniques such as rotary, drilling, micropiling etc. instead of conventional jack and hammer to avoid nuisance damage to adjoining buildings. ...

36. That the N.O.C. from MHADA shall not be submitted before C.C. ...
 37. That Regd. U/T for minimum Nuisance during construction activity shall not be submitted before C.C. ...
 38. That the work shall not be carried out between 7.00 A.M. to 7.00 P.M. ...

39. That the G.I. Sheet screens at plot boundaries upto adequate height to avoid dust nuisance shall not be provided before demolition of existing building.
 40. That the precautionary measures to avoid nuisance due to dust such as providing G.I. Sheets at plot boundaries up to reasonable height shall not be taken.

41. That the C.C. shall not be asked unless payment of advance for providing treatment at construction site to prevent epidemics like Dengue, Malaria, etc. is made to the Insecticide Officer of the concerned Ward Office and provision shall be made as and when required by Insecticide Officer for inspection of water tanks by providing safe and stable ladder, etc. and requirements as communicated by the Insecticide Officer shall be complied with.

42. No main beam in a R.C.C. framed structure shall not be less than 230 mm wide. The size of the columns shall also not be governed as per the applicable I.S. codes.
 43. All the cantilevers (Projections) shall not be designed for five times the load as per IS Code 1993-2002 including the columns projecting beyond the terrace and carrying the overhead water storage tank, etc.

44. In R.C.C. framed structures, the external walls shall not be less than 230 mm if in brick masonry or 150 mm autoclaved cellular concrete block excluding plaster thickness as circulated under No. CE/PD/11945/1 of 2.2.2006.
 45. That the specification & design of Rain Water Harvesting scheme as per the State Govt's directives u/No. TPB-4307/396/CR-124/2007/UD-11 dated 6th June 2007 shall not be submitted.

46. That the requisition of clause No. 45 and 46 of D.C. Regn. 91 shall not be complied with and records of quality of work, verification of report shall not be kept on site till completion of work.

47. That the Regd. Undertaking shall not be submitted by the Owner / Developer / Builder to sell the tenements / flats on carpet area basis only and to abide by the provisions of Maharashtra Ownership Flats (Regulation of the promotion of construction, sale management and transfer) Act (MOFA), amended up to date and the Indemnity Bond indemnifying the M.C.G.M. and its Officers from any legal complications arising due to MOFA will not be submitted.

48. That the registered Private Pest Control Agency for providing anti larval treatment at the construction site shall be appointed.

49. That all the conditions of M.H.A.D.A. N.O.C. shall not be submitted further C.C.

50. That all the conditions of E.E.(T.&C) N.O.C. shall not be compiled before plinth C.C.

51. That all the conditions of C.E.O. N.O.C. shall not be compiled before plinth C.C.

52. That the services of Safety Officer to take care of all safeties during construction on construction site and around shall not be hired.

53. That the Third party insurance shall not be submitted.

54. That the Extra Water Charges & Extra Sewerage Charges shall not be paid.

55. That the M.O.E.F. N.O.C. shall not be submitted.

57. That the receipt for the payment made to M.B.R.&R. Board towards expenditure incurred by the Bond towards repairs to the said building shall not be submitted.

58. That no demolition of structures & no any work shall be undertaken on site until M.O.E.F. clearance is submitted.

59. That the registered UT shall be submitted that the owner shall not have any objection if the neighbouring plot owner come for development with

60. That the registered UT shall be submitted that the condition shall be incorporated in the sale agreement with prospective buyers that the building under reference is constructed with open spaces deficiency.

(B) THE FOLLOWING CONDITIONS TO BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE :

1. That the plinth dimensions shall not be got checked from this office before asking for further C.C. beyond plinth.

2. That the Structural stability certificate through Regd. Structural Engineer regarding stability of constructed plinth shall not be submitted before asking for C.C. beyond plinth.

3. That the construction of road including storm water drain and footpath shall not be constructed.

4. That the compliance of necessary remarks for training of nalla / construction of SWD will not be submitted before granting full C.C. for the said building.

5. That the additional development cess shall not be paid before further C.C.

6. That every year before onset of the monsoon / revalidation of C.C., structural stability certificate of the work executed on site shall not be submitted by the appointed Registered Structural Engineer / Consultant, appointed by owner / occupier / society.

7. That all the structural members below the ground shall be designed considering the effect of chlorinated water, sulphat water, seepage water, etc. and any other possible chemical effect and due care while constructing the same will be taken and completion certificate to that effect shall not be submitted before granting further C.C. beyond plinth.

(C) THE FOLLOWING GENERAL CONDITIONS TO BE COMPLIED WITH BEFORE GRANTING O.C.C. TO ANY PART OF THE PROPOSED BUILDING :

1. That the separate vertical drain pipe, soil pipe with a separate gully trap, water main, O.H. Tank, etc. for Maternity Home/Nursing Home, user will not be provided and the drainage system or the residential part of the building will not be affected.

2. That some of the drains will not be laid internally with C.I. Pipes

3. That the dust-bin will not be provided as per C.E.'s circular No CE/9297/II of 26-6-1978.

4. That the surface drainage arrangement will not be made in consultation with E.E (SWD) or as per his remarks and a completion certificate will not be obtained and submitted before applying for occupation certificate/B.C.C.

5. That 10'-0" wide paved pathway upto staircase will not be provided.

6. That the surrounding open spaces, parking spaces and terrace will not be kept open and un-built upon and will not be leveled and developed before requesting to grant permission to occupy the building or submitting the B.C.C. whichever is earlier.

7. That the name plate/Board showing Plot No., name of the building etc. will not be displayed at a prominent place.
8. That carriage entrance shall not be provided.
9. That the parking spaces shall not be provided as per O.C. Regulation No:36.
10. That B.C.C. will not be obtained and I.O.D. and debris deposit etc. will not be claimed for refund within a period of 5 years from the date of its payment.
11. That the N.O.C. from Inspector of Lifts, P.W.D., Maharashtra, will not be obtained and submitted to this office.
12. That the Drainage completion certificate from (S.P.) (P&D) City for provision of Septic Tank/Soak pit will not be submitted.
13. That the Drainage completion Certificate from A.E.(B.P.) City for House drain will not be submitted & got accepted.
14. That every part of the building construction and more particularly overhead tank will not be provided as with the proper access for the staff of insecticide Officer with a provision of temporary but safe and stable ladder etc.
15. That final N.O.C. from MHADA/ C.F.O./ Tree Authority shall not be submitted before asking for occupation permission.
16. That the compliance of N.O.C. from H.E. will not be made and certificate to that effect will not be submitted.
17. That the Fresh property card in the name of the owner shall not be submitted.
18. That the vermiculite bins for the disposal of wet waste as per design and specifications of organization or companies specialized in this field as per list furnished by Solid waste Management of M.C.G.M. shall not be provided.
19. That the installation of Rain Water Harvesting scheme as per the State Govt.'s directives U/No. TPB-4307/396/CR-124/2007/UD-11 dated 6th June 2007 shall not be provided before applying for occupation permission.
20. That the additional development cess shall not be paid before O.C.
21. That the following documents shall not be compiled, preserved and handed over to the end user / prospective society within a period of 30 days in case of redevelopment of properties and in other cases, the same should be handed over within a period of 90 days after granting occupation certificate by M.C.G.M.
 - (a) Ownership documents,
 - (b) Copies of I.O.D., C.C., subsequent amendments, O.C.C., B.C.C. and corresponding canvass mounted plans.

- (c) Copies of soil investigation reports.
- (d) R.C.C. details and canvass mounted structural drawings.
- (e) Structural Stability Certificate from Licensed Structural Engineer.
- (f) Structural Audit Reports.
- (g) All details of repairs carried out in the buildings.
- (h) Supervision certificate issued by the Licensed Site Supervisor.
- (i) Building Completion Certificate issued by Licensed Surveyor/ Architect.
- (j) NOC and completion certificate issued by the C.F.O.
- (k) Fire safety audit carried out as per the requirement of C.F.O.

22. The registered undertaking and indemnity bond shall not be submitted stating that the conditions mentioned at Sr.No.21 will be incorporated in the sale agreement and the same will be informed to the prospective society/ end user.

23. That the supervision certificate shall be submitted periodically i.e. every 3 months from the L.S. / Engineer / Structural Engineer / Supervisor or Architect as the case may be as per D.C.Reg.5(3)(ix) regarding satisfactory construction on site

(D) THE FOLLOWING CONDITIONS TO BE COMPLIED WITH BEFORE B.C.C.

1. That certificate under Section 270-A of M.M.C. Act will not be obtained from H.E.'s Department regarding adequacy of water-supply.

Executive Engineer
Building Proposals (City)-I

[Signature]
16/4/17

2023-2024 2023-2024 2023-2024
 2023-2024 2023-2024 2023-2024

ISSN 0013-788X/90/0005-0000\$01.00/0

1700 1.98888889 414894 207600 2.127 4.0 100.0 40 0.00000000 15.00000000

[illegible]

1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809

• **Stress** is a response to a stimulus that is perceived as a threat to well-being.

[illegible]

1. *What is the purpose of this study?*

Journal of Management Education 30(6)

Das ist eine sehr interessante Frage, die ich gerne beantworten möchte. Ich habe mich sehr für dieses Thema interessiert und habe viele Informationen gesammelt. Ich werde Ihnen alles, was ich herausgefunden habe, mitteilen. Ich hoffe, das hilft Ihnen weiter.

1. Welche Aufgaben hat die Ethik in der Wirtschaft?
2. Was ist der Unterschied zwischen normativer und deskriptiver Ethik?
3. Nenne die drei Hauptbereiche der Wirtschaftsethik.
4. Was ist das Problem der Unternehmensethik?
5. Welche Rolle spielt die Ethik in der Unternehmensstrategie?
6. Was ist das Problem der Unternehmensethik?
7. Welche Rolle spielt die Ethik in der Unternehmensstrategie?
8. Was ist das Problem der Unternehmensethik?
9. Welche Rolle spielt die Ethik in der Unternehmensstrategie?
10. Was ist das Problem der Unternehmensethik?

NOTES

(1) The work should not be started unless objections are complied with:

(2) A certified set of latest approved plans shall be displayed on site at the time of commencement the work and during the progress of the construction work.

(3) Temporary permission on payment of deposit should be obtained any shed to house and store for constructional purposes. Residence of workmen shall not be allowed on site. The temporary structures for storing constructional material shall be demolished before submission of building completion certificate and a certificate signed by Architect submitted along with the building completion certificate.

(4) Temporary sanitary accommodation on full flushing system with necessary drainage arrangement should be provided on site workers, before starting the work.

(5) Water connection for constructional purpose will not be given until the hoarding is constructed and application made to the Ward Officer with the required deposit for the construction of cartage entrance, over the road side drain.

(6) The owners shall intimate the Hydraulic Engineer or his representative in Wards atleast 15 days prior to the date of which the proposed construction work is taken in hand that the water existing in the compound will be utilised for their construction works and they will not use any Municipal Water for construction purposes. Failing this, it will be presume that Municipal tap water has been consumed on the construction works and bills preferred against them accordingly.

(7) The hoarding or screen wall for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffolding, bricks metal, sand preps, debris, etc. should not be deposited over footpaths or public street by the owner/ architect/their contractors, etc. without obtaining prior permission from the Ward Officer of the area.

(8) The work should not be started unless the manner in obviating all the objection is approved by this department.

(9) No work should be started unless the structural design is approved.

(10) The work above plinth should not be started before the same is shown to this office Sub-Engineer concerned and acknowledgement obtained from him regarding correctness of the open spaces & dimension.

(11) The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation will require time to consider alternative site to avoid the excavation of the road in footpath.

(12) All the terms and conditions of the approved layout/sub-division under No. _____ of _____ should be adhered to and complied with.

(13) No Building/Drainage Completion Certificate will be accepted non water connection granted (except for the construction purposes) unless road is constructed to the satisfaction of the Municipal Commissioner as per the provision of Section 345 of the Bombay Municipal Corporation Act and as per the terms and conditions for sanction to the layout.

(14) Recreation ground or amenity open space should be developed before submission of Building Completion Certificate.

(15) The access road to the full width shall be constructed in water-bound macadam before commencing work and should be complete to the satisfaction of Municipal Commissioner including asphaltting, lighting and drainage before submission of the Building Completion Certificate.

(16) Flow of water through adjoining holding or culvert, if any should be maintained unobstructed.

(17) The surrounding open spaces around the building should be consolidated in concrete having broke glass pieces at the rate of 1.25 cubic meters per 10 sq. meters below payment.

(18) The compound wall or fencing should be constructed clear of the road widening line with foundation below level of bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.

(19) No work should be started unless the objection is removed to the satisfaction of the Municipal Corporation.

- (20) This intimation of Disapproval is given exclusively for the purpose of enabling you to proceed further arrangements of obtaining No Objection Certificate from the Housing Commissioner under Section 13 (b) (1) of the Rent Act and in the event of your proceeding with the work either without an intimation about commencing the work under Section 347 (1) (a) or your starting the work without removing the structures proposed to be removed the act shall be taken as a severe breach of the conditions under which this intimation of Disapproval is issued and the sanctioned will be revoked and the commencement certificate granted under Section 45 of the Maharashtra Regional and Town Planning Act, 1966, (12 of the Town Planning Act), will be withdrawn. If it is proposed to demolish the existing structures by negotiations with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the City Engineer is satisfied with the following:-
- (i) Specific plans in respect of evicting or rehousing the existing tenants on hour stating their number and the area in occupation of each.
- (ii) Specifically signed agreement between you and the existing tenants that they are willing to avail or the alternative accommodation in the proposed structure at standard rent.
- (iii) Plans showing the phased programme of construction has to be duly approved by this office before starting the work so as not to contravene at any stage of construction, the Development control Rules regarding open spaces, light and ventilation of existing structure.
- (22) In case of extension to existing building, blocking of existing windows of rooms deriving light and its from other sides should be done first before starting the work.
- (23) In case of additional floor no work should be start or during monsoon which will cause water leakage and consequent nuisance to the tenants staying on the floor below.
- (24) The bottom of the over hand storage work above the finished level of the terrace shall not be more than 1 metre.
- (25) The work should not be started above first floor level unless the No Objection Certificate from the Civil Aviation Authorities, where necessary is obtained.
- (26) It is to be understood that the foundations must be excavated down to hard soil.
- (27) The positions of the tanks and other appurtenances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- (28) The water arrangement must be carried out in strict accordance with the Municipal requirements.
- (29) No new well, tank, pond, cistern or fountain shall be dug or constructed without the previous permission in writing of the Municipal Commissioner for Greater Mumbai, as required in Section 381-A of the Municipal Corporation Act.
- (30) All gully traps and open channel drains shall be provided with right fitting mosquito proof covers made of wrought iron plates or hinges. The manholes of all fountains shall be covered with a properly fitting mosquito proof hinged cast iron cap over in one piece, with locking arrangement provided with a bolt and hinge screwed on highly serving the purpose of a lock and the warning pipes of the ribbet pressed with screw or dome shape pieces (like a garden man rose) with copper pipes with perforations each not exceeding 1.5 mm. in diameter the cistern shall be made easily, safely and permanently a ceasable by providing a firmly fixed iron ladder, the upper ends of the ladder should be earmarked and extended 40 cms. above the top where they are to be fixed an its lower ends in cement concrete blocks.
- (31) No broken bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plane glass for coping over compound wall.
- (32) (a) Houses should be provided as required by bye-law No. 3 (b).
- (b) Houses should be provided over 1700 sq. ft. window opening.
- (c) Houses should be provided as required by bye-law No. 3 (b).
- (33) (i) The proposed additional is intended to be carried out on old foundations and structures, you will do so at your own risk.