

ಫ್ಯಾಕ್ಸ್ / Fax : 080-25586321

ಈಮೇಲ್ / E-mail : ho@kspcb.gov.in

ವೆಬ್‌ಸೈಟ್ / Website : http://kspcb.gov.in



25581383, 25589112
25588151, 25588270
25588142, 25586520

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ Karnataka State Pollution Control Board

"ಪರಿಸರಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ.49, ಚರ್ಚ್‌ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ
"Parisara Bhavana", 1st to 5th Floor, # 49, Church Street, Bengaluru - 560 001, Karnataka, INDIA

H.D.Reg. No. 101763 dated 13.11.2015.

Godrej Homes construction-modified

NO. PCB/292/CNP/15/ H29

/ BY REGD. POST WITH ACK. DUE /

DATE: 11 APR 2016

(THIS ORDER CONTAINS 06 PAGES)

To

M/s. Godrej Home Construction Pvt. Ltd.,
80, Hulkul Ascent, 2nd Cross,
Lavelle Road,
BENGALURU – 560 001.

Sir,

Sub: Modified consent for establishment to construct Residential Apartment with 889 flats having built up area 1,47,094.32 Sqm. at Sy. No. 18/1A1, 18/1A13 & 22 of Mallasandra Village, Uttarahalli Hobli, Bengaluru South Taluk by M/s. Godrej Homes Constructions Pvt. Ltd.,

- Ref:**
1. Board issued CFE to M/s. Purvankara Projects Ltd., vide No. CFE/CON-43/2007-08/1957 dated 03.07.2007.
 2. Copy of the Indenture of Conveyance made between M/s. Puravanakara Projects Ltd., and M/s. Godrej Homes Constructions Private Limited on 15.07.2015.
 3. Board Office Memorandum No. 3954 dated 21.10.2013.
 4. This Office Memorandum No.4894 dated 05.01.2015.
 5. Application for consent for establishment received at Regional Office, KSPCB, Rajarajeshwari Nagar on 13.11.2015.
 6. Inspection of the proposed project site by Officer of the Regional Office, KSPCB, Rajarajeshwari Nagar on 30.12.2015.
 7. E.C. No. SEIAA 178 CON 2015 Dated 19.03.2016.
 8. Proceedings of the consent committee meeting held on 01.04.2016.

<<<<<>>>>

With reference to the above, it is to be informed that this Board hereby accords Consent for Establishment under the Water (Prevention & Control of Pollution) Act 1974 to construct Residential Apartment with 889 flats having built up area 1,47,094.32 Sqm. at Sy. No. 18/1A1, 18/1A13 & 22 of Mallasandra Village, Uttarahalli Hobli, Bengaluru South Taluk by M/s. Godrej Homes Constructions Pvt. Ltd., subject to the following conditions.

I. Environmental Aspects and Management during the course of construction:

- a) The applicant should cover the project site from all sides by raising sufficiently tall barricades with sheets to ensure that pollutants should not spill to the surroundings.

Senior Environmental Officer

“ಪ್ಲಾಸ್ಟಿಕ್ ಬಳಕೆ ನಿಲ್ಲಿಸಿ, ಪರಿಸರ ಹಾನಿ ತಪ್ಪಿಸಿ”

AVOID USE OF PLASTICS- BE 'ECO' FRIENDLY

- b) The applicant shall arrange services like housing facility, water supply, sewage facilities on a temporary basis at construction site and same shall be maintained without any adverse impact on the environment.
 - c) The applicant shall control the movement of vehicles carrying construction materials in order to avoid noise pollution in the surrounding.
 - d) The applicant shall leave clear buffer zone towards any lake and Nala as per the RCDP-2015 of BDA norms or any other planning authority guidelines & shall maintain no development zone.
 - e) The project proponent shall strictly adhere to the conditions stipulated in the Environmental clearance issued from the State Level Environment Impact Assessment Authority-Karnataka vide No. SEIAA 178 CON 2015 dated 19.03.2016.
1. This consent for establishment shall be valid for a period of Five years from the date of issue of this Order.
 2. The applicant shall not take expansion/diversification without the prior consent of the Board.
 3. The applicant shall obtain necessary licence/clearance from their relevant agencies before taking up construction.
 4. The applicant shall obtain NOC from the Board before handing over of apartment to residents Association.
 5. The applicant shall maintain utilities including STP for a minimum period of five years.
 6. The applicant shall use treated sewage for secondary purposes including construction.
 7. This CFE is issued only from the point of water pollution control and does not have any relevance over land dispute, any pending cases with any Departments/Hon'ble Courts.
 8. Sewage Treatment Plant (STP) and Organic Waste Converter (OWC) shall be provided and operated satisfactorily by the project proponent himself before it is handed over to Association/Company.

II. WATER CONSUMPTION:

1. The project authorities shall use BWSSB tertiary treated water for construction works.
2. The water consumption shall not exceed 600 KLD. There shall not be drawal of ground water without obtaining permission from CGWA.

III. WATER POLLUTION CONTROL:

1. The quantity of sewage shall not exceed 480 KLD and shall be treated in the sewage treatment plant (STP) of capacity 500 KLD with the treatment scheme as submitted in the STP proposal to meet the standards stipulated below before utilizing for Urban Reuse viz., landscape irrigation, vehicle washing, toilet flushing building construction use in fire protection and commercial air conditioners. STP shall be constructed on modular basis to cater to phase-wise development.


 Senior Environmental Officer.

Sl. No	Parameter	Parameters Limit.
01.	pH	6.5 – 9.0
02.	BOD (mg/l)	Not more than 10
03.	COD (mg/l)	Not more than 50
04.	TSS (mg/l)	Not more than 20
05.	NH4-N (mg/l)	Not more than 5
06.	N-Total (mg/l)	Not more than 10
07.	Fecal Coliform (MPN/100 ml).	Less than 100

2. Applicant shall add appropriate disinfectant to treated sewage to ensure some residual chlorine preferably in the range of 1 mg/l. to 3 mg/l.
3. If the treatment plant do not achieve the effluent standards stipulated under conditions (1) above or if it is found to be inadequate, then the applicant shall have to modify the units so as to meet the standards with prior consent of the Board.
4. All the treatment units shall be made impervious and there shall not be any discharge of sewage outside the premises.
5. The applicant shall provide separate energy meter to liquid waste treatment plant and STP and also shall provide flow meters as per Water Cess Act, 1977. A log book of readings shall be maintained.
6. The applicant should make provisions for dual piping system to use the treated sewage water for toilet flushing, gardening and other purposes.
7. The applicant shall dispose excess treated sewage i.e. left after using for secondary purposes, to authorized BWSSB transporters for discharge into nearby BWSSB STP. The applicant shall maintain log book and vehicle details in this regard.

IV. AIR POLLUTION CONTROL:

1. The applicant during construction shall ensure that the Ambient Air Quality in its premises shall conform to the National Ambient Air Quality Standards specified in Environment (Protection) Rules.
2. The applicant shall provide acoustic measures to the DG Sets as per Sl. No. 94 in Schedule-I of Environment (Protection) Rules.
3. The applicant shall provide dust suppression systems with water sprinkling system during construction period.

V. NOISE POLLUTION CONTROL:

1. The applicant shall ensure that the ambient noise levels and ambient air quality within its premises during construction and after construction shall not exceed the limits specified in the Environment (Protection) Rules, i.e. 55 dB(A) Leq during day time and 45 dB(A) Leq during night time during and after construction.

Senior Environmental Officer

[Handwritten Signature]
11/4/16

- The applicant shall maintain the ambient noise standards as prescribed below during construction and after construction.

Category of Area/Zone	Limits in dB(A) Leq.	
	Day Time	Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

VI. SOLID WASTE & HAZARDOUS WASTE DISPOSAL:

- The applicant shall collect, treat and dispose off all solid waste generated during construction i.e. Muck, and Garbage after construction if any in such manner so as not to cause environmental pollution.
- The applicant shall apply and obtain authorization for management & handling of waste oil under Hazardous Waste (Management & Handling) Rules 1989.
- The applicant shall convert the garbage into compost by providing organic converter.
- The project proponent shall earmark sufficient place for segregation and processing of solid waste including for installation of organic waste converter (O.W.C) or any other facility to process the solid waste.
- The applicant shall strictly follow the Government Notification No. FEE 17 EPC 2012 Bangalore dated 11.03.2016 with regard to banning of plastics.

VII. HEALTH & SAFETY:

- The applicant shall provide all necessary healthcare facilities to workers and shall carry out routine health survey among workers..
- The applicant shall provide all safety measures including personal protective equipments to workers during construction.

VIII. GENERAL :

- The applicant shall adhere to the Zonal Regulations norms of competent authority.
- The applicant shall comply with the provisions of Water (Prevention and Control of Pollution) Cess Act, 1977.
- The applicant must create structure/storage facility for rain water harvesting and ground water recharge.
- The applicant should make provisions for dual piping system to use the treated sewage water for toilet flushing, gardening and other purposes.
- The applicant shall arrange for alternate power supply in the form of D.G.Set to run and operate the essential units of sewage treatment plant, in event of brake down of regular supply from Electricity Board.

Senior Environmental Officer.

[Signature] 11/4/16
[Signature]

6. The applicant shall implement the Environmental Management Plan during construction and after construction as given under EMP report.
7. The applicant shall not change or alter (a) No. of flats (b) building plan (c) the quality, quantity or rate of discharge/ emissions and (d) install/replace/alter the water or air pollution control measures without the prior approval of the Board.
8. The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc., in excess of the standards stipulated, and the applicant shall immediately take appropriate corrective and preventive actions under intimation.
9. Exact date of commissioning of the sewage treatment plant shall be informed to this Board 45 days in advance so as to make necessary inspection of the plant and the pollution control measures provided by the applicant.
10. The applicant shall appoint a qualified Environmental Engineer/ Scientist for the Management of Environmental aspects and also establish Environmental Cell to oversee the operation of STP.
11. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
12. This CFE does not give any right to the Party/Project Authority to forego any legal requirement, which is necessary for setting/operation of the project.
13. The application shall adopt Eco-sanitation system in the project.
14. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration and pay in advance an amount equal to the cost estimated by Competent Agency or Committee.
15. The project authorities shall dispose scientifically Bio-Medical waste and electronic waste to authorized common disposal facility and authorized recyclers respectively by entering into agreement.
16. The project authorities shall adopt green building concept.
17. The project authorities shall establish Environmental Cell during operation phase to comprehensively manage environment related issues.
18. Suitable local tree species shall be selected for greenery and minimum three rows of plant saplings shall be planted all-along the periphery of the site.
19. The CFE is issued without prejudice to the Court case pending in any Hon'ble Court.

Senior Environmental Officer



Please note that separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 45 days in advance to the completion of construction work of Residential Apartment. Issue of consent will be considered only after completion of Water pollution control measures, solid waste management facilities and installing air pollution control measures.

The receipt of this letter may please be acknowledged.

For and on behalf of
Karnataka State Pollution Control Board


Senior Environmental Officer