


SCHEDULE OF BEAM HEADINGS

MEMBER NO.	SIZE		SPAN					SUPPORT		REMARKS
	W	D	BOTTOM SPAN	MIDDLE SPAN	TOP SPAN	EXTRA TOP SPAN	SUPPORT	HEAD SUPPORT		
B1	300	750	4-20T	--	3-25T	--	--	10T@100C/C	10T@100C/C	--
B2.6	230	600	2-20T+2-12T	--	4-20T	--	--	10T@100C/C	10T@100C/C	MB2 @ MIDLADING
B3.7	230	600	2-25T	--	2-25T	--	2-20T	12T@25C/C	12T@25C/C	--
B36	230	450	2-16T	--	2-16T	--	--	8T@100C/C	8T@100C/C	--
B5,MB5	230	550	2-20T	--	2-20T	--	--	10T@25C/C	10T@25C/C	MB5 @ MIDLADING
B6	230	450	2-25T	--	2-25T	2-16T	BOTHEND	8T@100C/C	8T@150C/C	--
B9	230	600	2-20T	2-20T	2-25T	2-16T	BOTHEND	8T@100C/C	8T@150C/C	--
B10	230	450	2-20T	--	2-16T	--	--	8T@100C/C	8T@100C/C	--
B11	300	350	3-25T	--	3-25T	--	--	10T@100C/C	10T@25C/C	--
B12	230	750	2-20T	--	2-20T	--	--	8T@100C/C	8T@100C/C	--
B13	230	550	2-20T	--	2-20T	--	--	8T@100C/C	8T@100C/C	--
B31	230	750	2-20T	--	2-25T+2-16T	--	--	12T@100C/C	12T@100C/C	CANTILEVER
B32	230	550/750	2-20T+2-16T	--	2-25T+2-16T	--	--	10T@100C/C	10T@100C/C	REFER DETAIL
B33	230	750	2-20T+2-16T	--	2-25T+2-16T	--	--	10T@100C/C	10T@100C/C	DRG.NO:-STR/GH-HM/07-SK/10
B34,35,46	300	750	3-20T	--	2-25T+1-20T	--	--	10T@100C/C	10T@100C/C	B35 @ MIDLADING
B48	300	750	3-20T	--	2-25T+1-20T	--	--	10T@100C/C	10T@100C/C	B35 @ MIDLADING
B34A	300	550	3-20T	--	3-20T	--	--	10T@100C/C	10T@100C/C	--
B37	300	750	3-20T	--	5-25T	--	--	12T@100C/C	12T@100C/C	CANTILEVER
B38	300	600	4-20T	--	3-25T	2-25T	C11	12T@100C/C	12T@100C/C	--
B39,40,42	230	600	2-20T+1-16T	--	2-20T+1-16T	--	--	8T@25C/C	8T@25C/C	--
B41	230	450	2-20T	--	2-20T	--	--	8T@25C/C	8T@25C/C	--
B44	230	750	2-25T	--	3-25T	--	--	12T@100C/C	12T@100C/C	CANTILEVER
B45	300	750	3-25T+2-20T	--	3-25T	2-25T+1-20T	C11	12T@100C/C	12T@100C/C	--
B45A	230	750	2-25T+2-16T	--	2-25T	2-25T	C8	12T@100C/C	12T@100C/C	--
B47	230	750	2-25T	--	2-25T	--	--	10T@100C/C	10T@25C/C	--
HB	300	325	3-12T	--	3-12T	--	--	8T@100C/C	8T@100C/C	--
CB	230	600	2-16T	--	2-20T	--	--	8T@100C/C	8T@100C/C	CANTILEVER
MB34A	300	550	2-20T	--	2-25T	--	--	10T@100C/C	10T@100C/C	MIDLADING CANTILEVER

SCHEDULE OF SLAB HEADINGS

SLAB NOS	THICK	REINFORCEMENT		REMARK
		MAIN STEEL	DIST STEEL	
S1	125	8T@150C/C (ABBU)	8T@150C/C (ABBU)	TWO WAY.
S2	125	8T@150C/C (ABBU)	8T@200C/C	ONE WAY.
S3	175	8T@100C/C (ABBU)	8T@100C/C (ABBU)	TWO WAY.
S4	125	8T@150C/C	8T@150C/C	STAIRCASE SLAB.
ST	200	12T@150C/C	8T@150C/C	CANTILEVER SLAB.
SC	125	8T@100C/C	8T@100C/C	



TYPICAL DETAIL OF CHALUA

2ND, 5TH, 6TH, 8TH, 9TH, 10TH, 11TH, 12TH, 15TH, 16TH FLOOR

NOTES :-

- * DON'T ASSUME ANY DETAIL
- * PLEASE REFER DETAILS & NOTES OF DRG-NO:- STR/GUH-HM/09/R1
- * MADE BY H/S

For Approved Use Only

Checklist

For Use

REVISION

REVISION

REVISION

REVISION

REVISION

REVISION

REVISION

DRG NO:- STR/GUH-HM/09/R1

DRG TITLE

PROJECT

CLIENT

DATE :-

SCALE :-

DATE :-

ARCHITECT

B.N. SHAH & ASSOCIATES

163-A-GANGA LAHARI Vasudeo

P.N. MARG,

SHIVAJI PARK, MAHIM, Mehregdale

MUMBAI - 400 016

Tel. 2444 1603/2447 3963

SHASHANK MEHENDALE

SHASHANK MEHENDALE & ASSOCIATES

(CONSULTING ENGINEERS & STRUCTURAL DESIGNERS)

SHASHANK MEHENDALE

(DRG/M/R)

