

73. That the structural stability of mechanized parking & registered undertaking in this regard indemnifying M.C.G.M. & its officer against the litigation arising out of hardship to occupants due to mechanized failure shall not be submitted.
74. That the registered undertaking stating that clause shall be incorporated in sale agreement / supportive agreement so as to make aware the prospective buyer/ existing member about the deficient maneuvering space / deficient width of drive way shall not be submitted.
75. That the N.O.C. holder will have to pay expenditure incurred by board towards structural repairs / propping / demolition etc. & letter to that effect issued by MHADA shall not be submitted.
76. That the Registered undertaking regarding fitness centre stating area of fitness centre shall be only for members of Society & all members of Society shall have equal access to fitness centers shall not be submitted.
77. That the proposal to E.E.(T.P.) V for change in ownership as per latest P.R. Card shall not be submitted before C.C.
78. That as per condition No. 8 of T.P. remarks contribution charges for F.P.No.675 & F.P. No. 676 of TPS-III, Mahim, situated at Balmia Road, Wanzewadi, Mahim, Mumbai-400016 shall not be paid prior to C.C.
79. That the specific remarks from A.E. (T.P.) / Survey / T & C/A.E.(Maint)/G/N/ A.E.(D.P.) unencroached width of access shall not submitted before C.C.
80. That the Registered Undertaking regular for not misusing greater height of podium shall not be submitted before C.C.
81. That the old I.O.D. condition shall not be followed.
82. That the Registered Undertaking from Architect / Owner stating that the structure under litigation shall not be demolished till final court clearance & indemnifying M.C.G.M. from litigation & disputes arising out of such cases shall not be submitted.
83. That the CFO NOC for revised location of sub station in stilt shall not be submitted.
84. That the Registered undertaking indemnifying M.C.G.M. against litigation arising out of hardship to residents / users particularly shall be obtained from applicant.
85. That the attached parking system shall be equipped with electronic sensor device to avoid any mishap and maintenance shall be done regularly and stamped undertaking to the effect shall be submitted.

**(B) THE FOLLOWING CONDITIONS TO BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE :**

1. That the plinth dimensions shall not be got checked from this office before asking for further C.C. beyond plinth.
2. That the Structural stability certificate through Regd. Structural Engineer regarding stability of constructed plinth shall not be submitted before asking for C.C. beyond plinth.
3. That the elevation treatment plan shall not be submitted & got approved.
4. That the construction of road including storm water drain and footpath shall not be constructed.
5. That the compliance of necessary remarks for training of nalla / construction of SWD will not be submitted before granting full C.C. for the said building.
6. That the additional development cess shall not be paid before further C.C.
7. That every year before onset of the monsoon / revalidation of C.C., structural stability certificate of the work executed on site shall not be submitted by the appointed Registered Structural Engineer / Consultant, appointed by owner / occupier / society.
8. That all the structural members below the ground shall be designed considering the effect of chlorinated water, sulphur water, seepage water, etc. and any other possible chemical effect and due care while constructing the same will be taken and completion certificate to that effect shall not be submitted before granting further C.C. beyond plinth.

**(C) THE FOLLOWING GENERAL CONDITIONS TO BE COMPLIED WITH BEFORE GRANTING O.C.C. TO ANY PART OF THE PROPOSED BUILDING :**

1. That the separate vertical drain pipe, soil pipe with a separate gully trap, water main, O.H. Tank, etc. for Maternity Home/Nursing Home, user will not be provided and the drainage system or the residential part of the building will not be affected.
2. That some of the drains will not be laid internally with C.I. Pipes.
3. That the dust-bin will not be provided as per C.E.'s circular No.CE/9297/III of 26-6-1978.
4. That the surface drainage arrangement will not be made in consultation with E.E.(SWD) or as per his remarks and a completion certificate will not be obtained and submitted before applying for occupation certificate/B.C.C.
5. That 10'-0" wide paved pathway upto staircase will not be provided.
6. That the surrounding open spaces, parking spaces and terrace will not be kept open and un-built upon and will not be leveled and developed before

requesting to grant permission to occupy the building or submitting the B.C.C. whichever is earlier.

7. That the name plate/Board showing Plot No., name of the building etc. will not be displayed at a prominent place.
8. That carriage entrance shall not be provided.
9. That the parking spaces shall not be provided as per D.C. Regulation No.36.
10. That B.C.C. will not be obtained and I.O.D. and debris deposit etc. will not be claimed for refund within a period of 6 years from the date of its payment.
11. That the N.O.C. from Inspector of Lifts, P.W.D., Maharashtra, will not be obtained and submitted to this office.
12. That the Drainage completion certificate from (S.P.)(P&D)City for provision of Septic Tank/Soak pit will not be submitted.
13. That the Drainage completion Certificate from A.E.(B.P.) City for House drain will not be submitted & got accepted.
14. That every part of the building construction and more particularly overhead tank will not be provided as with the proper access for the staff of Insecticide Officer with a provision of temporary but safe and stable ladder etc.
15. That final N.O.C. from MHADA/ C.F.O./ Tree Authority/ M.H.C.C. shall not be submitted before asking for occupation permission.
16. That the compliance of N.O.C. from H.E will not be made and certificate to that effect will not be submitted.
17. That the Fresh property card in the name of the owner shall not be submitted.
18. That the vermiculture bins for the disposal of wet waste as per design and specifications of organization or companies specialized in this field as per list furnished by Solid waste Management of M.C.G.M. shall not be provided.
19. That the installation of Rain Water Harvesting scheme as per the State Govt.'s directives U/No. TPB-4307/396/CR-124/2007/UD-11 dated 6<sup>th</sup> June 2007 shall not be provided before applying for occupation permission.
20. That the additional development cess shall not be paid before O.C.
21. That the following documents shall not be compiled, preserved and handed over to the end user / prospective society within a period of 30 days in case of redevelopment of properties and in other cases, the same should be handed over within a period of 90 days after granting occupation certificate by M.C.G.M.
  - (a) Ownership documents;

- (b) Copies of I.O.D., C.C., subsequent amendments, O.C.C., B.C.C. and corresponding canvass mounted plans.
  - (c) Copies of soil investigation reports.
  - (d) R.C.C. details and canvass mounted structural drawings.
  - (e) Structural Stability Certificate from Licensed Structural Engineer.
  - (f) Structural Audit Reports.
  - (g) All details of repairs carried out in the buildings.
  - (h) Supervision certificate issued by the Licensed Site Supervisor.
  - (i) Building Completion Certificate issued by Licensed Surveyor/ Architect.
  - (j) NOC and completion certificate issued by the C.F.O.
  - (k) Fire safety audit carried out as per the requirement of C.F.O.
22. That the certified copy of sale agreement incorporating the following conditions shall not be submitted to this office
- (a) That the prospective society / end user shall not preserve and maintain the documents / plans received from Owner / Developer / Architect and subsequently carry out necessary repairs / structural audit/ fire audit at regular interval and also present periodical structural audit reports and repair history, similarly to check and to carry out fire safety audit time to time as per requirement of C.F.O. through the authorized agency of M.C.G.M.
23. The registered undertaking and indemnity bond shall not be submitted stating that the conditions mentioned at Sr.No.21 will be incorporated in the sale agreement and the same will be informed to the prospective society/ end user.
24. That the supervision certificate shall be submitted periodically i.e. every 3 months from the L.S. / Engineer / Structural Engineer / Supervisor or Architect as the case may be as per D.C.Reg.5(3)(ix) regarding satisfactory construction on site.

**(D) THE FOLLOWING CONDITIONS TO BE COMPLIED WITH BEFORE B.C.C.:**

1. That certificate under Section 270-A of M.M.C. Act will not be obtained from H.E.'s Department regarding adequacy of water supply.

*M. Vaidya*  
8/10/15  
Executive Engineer  
Building Proposals (City)-III

*fz*

No. EB/CE 6195

/BS

SN

/A/

## NOTES

- (1) The work should not be started unless objections are complied with
- (2) A certified set of latest approved plans shall be displayed on site at the time of commencement the work and during the progress of the construction work.
- (3) Temporary permission on payment of deposit should be obtained any shed to house and store for constructional purposes. Residence of workmen shall not be allowed on site. The temporary structures for storing constructional material shall be demolished before submission of building completion certificate and a certificate signed by Architect submitted along with the building completion certificate.
- (4) Temporary sanitary accommodation on full flushing system with necessary drainage arrangement should be provided on site workers, before starting the work.
- (5) Water connection for constructional purpose will not be given until the hoarding is constructed and application made to the Ward Officer with the required deposit for the construction of carriage entrance, over the road side drain.
- (6) The owners shall intimate the Hydraulic Engineer or his representative in Wards atleast 15 days prior to the date of which the proposed construction work is taken in hand that the water existing in the compound will be utilised for their construction works and they will not use any Municipal Water for construction purposes. Failing this, it will be presume that Municipal tap water has been consumed on the construction works and bills preferred against them accordingly.
- (7) The hoarding or screen wall for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffoldings, bricks metal, sand preps debris, etc. should not be deposited over footpaths or public street by the owner/ architect/their contractors, etc. without obtaining prior permission from the Ward Officer of the area.
- (8) The work should not be started unless the manner in obviating all the objection is approved by this department.
- (9) No work should be started unless the structural design is approved.
- (10) The work above plinth should not be started before the same is shown to this office Sub-Engineer concerned and acknowledgement obtained from him regarding correctness of the open spaces & dimension.
- (11) The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation will require time to consider alternative site to avoid the excavation of the road an footpath.
- (12) All the terms and conditions of the approved layout/sub-division under No. \_\_\_\_\_ of \_\_\_\_\_ should be adhered to and complied with.
- (13) No Building Drainage Completion Certificate will be accepted non water connection granted (except for the construction purposes) unless road is constructed to the satisfaction of the Municipal Commissioner as per the provision of Section 345 of the Bombay Municipal Corporation Act and as per the terms and conditions for sanction to the layout.
- (14) Recreation ground or amenity open space should be developed before submission of Building Completion Certificate.
- (15) The acces road to the full width shall be constructed in water bound macadam before commencing work and should be complete to the satisfaction of Municipal Commissioner including asphaltting lighting and drainage before submission of the Building Completion Certificate.
- (16) Flow of water through adjoining holding or culvert, if any should be maintained unobstructed.
- (17) The surrounding open spaces around the building should be consolidated in Concrete having broke glass pieces at the rate of 125 cubic meters per 10 sq. meters below payment.
- (18) The compound wall or fencing should be constructed clear of the road widening line with foundation below level of bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.
- (19) No work should be started unless the existing structures proposed to be demolished are demolished.

- (20) This Intimation of Disapproval is given exclusively for the purpose of enabling you to proceed further with the arrangements of obtaining No Objection Certificate from the Housing commissioner under Section 13 (h) (H) of the Rent Act and in the event of your proceeding with the work either without an intimation about commencing the work under Section 347 (1) (aa) or your starting the work without removing the structures proposed to be removed the act shall be taken as a severe breach of the conditions under which this Intimation of Disapproval is issued and the sanctioned will be revoked and the commencement certificate granted under Section 45 of the Maharashtra Regional and Town Planning Act, 1966, (12 of the Town Planning Act), will be withdrawn.
- (21) If it is proposed to demolish the existing structures by negotiations with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the City Engineer is satisfied with the following:-
- (i) Specific plans in respect of eviciting or rehousing the existing tenants on hour stating their number and the area in occupation of each.
  - (ii) Specifically signed agreement between you and the existing tenants that they are willing to avail or the alternative accommodation in the proposed structure at standard rent.
  - (iii) Plans showing the phased programme of construction has to be duly approved by this office before starting the work so as not to contravene at any stage of construction, the Development control Rules regarding open spaces, light and ventilation of existing structure.
- (22) In case of extension to existing building, blocking of existing windows of rooms deriving light and its from other sides should be done first before starting the work.
- (23) In case of additional floor no work should be start or during monsoon which will same arise water leakage and consequent nuisance to the tenants staying on the floor below.
- (24) the bottom of the over hand storage work above the finished level of the terrace shall not be more than 1 metre.
- (25) The work should not be started above first floor level unless the No Objection Certificate from the Civil Aviation Authorities, where necessary is obtained.
- (26) It is to be understood that the foundations must be excavated down to hard soil.
- (27) The positions of the nahanis and other appurtenances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- (28) The water arrangement must be carried out in strict accordance with the Municipal requirements.
- (29) No new well, tank, pond, cistern or fountain shall be dug or constructed without the previous permission in writing of the Municipal Commissioner for Greater Mumbai, as required in Section 381-A of the Municipal Corporation Act.
- (30) All gully traps and open channel drains shall be provided with right fitting mosquito proof covers made of wrought iron plates or hinges. The manholes of all jisterns shall be covered with a properly fitting mosquito proof hinged cast iron cap over in one piece, with locking arrangement provided with a bolt and huge screwed on lightly serving the purpose of a lock and the warning pripes of the ribbet pretessed with screw or dome shape pieces (like a garden mari rose) with copper pipes with perfictions each not exceeding 1.5 mm. in diameter. the cistern shall be made easily, safely and permanently a ceasible by providing a firmly fixed iron ladder, the upper ends of the ladder should be earmarked and extended 40 cms. above the top where they are to be fixed an its lower ends in cement concrete blocks.
- (31) No broken bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plane glass for coping over compound wall.
- (32) (a) Louvers should be provided as required by Bye-law No. 5 (b).  
 (b) Louvers of Arches should be provided as required by Bye-law No. 5 (b).  
 (c) Louvers of Arches should be provided as required by Bye-law No. 5 (b).  
 (d) Louvers of Arches should be provided as required by Bye-law No. 5 (b).
- (33) If the proposed additional is intended to be carried out on old foundations and structures, you will do so at your own risk.

M P Vaidya  
 - 8/10/15

Executive Engineer, Building Proposals

for Zones ..... City-III ..... Wards.